





Solar Royal, LLC **MARCH 2022** ** LINE-CARD **

30Watt Solar Ventilation (Attic) Fan w/ Thermostat

30Watt Solar Ventilation Attic Fan, monocrystaline panels, up-to 1700CFM or 2725 sqft. of ventilation capacity, 12 inch/ 5-blade 'TurboPro' styled custom nylon/polymeric blade. Brushless 6-24 VDC motor and thermostat and firefuse. Patent-pending two piece design for easy installation and maintenance, embedded and adjustable angle solar panel brackets included. Automotive grade ABS main body for superior low-profile design, with all aluminum components, aluminum base and stainless steel fasteners. (15yr Warranty)

<u>Part Nr.</u>		<u>MSRP</u>
SRSF-30W08-BL	(BLACK)	\$439.00
SRSF-30W08-WW	(WEATHERWOOD)	\$464.00
SRSF-30W08-BR	(BROWN)	\$464.00

60Watt Solar Ventilation (Attic) Fan w/ Thermostat

60Watt Solar Ventilation Attic Fan includes 1x 30Watt base unit with a 60Watt remote monocrystaline panel, up-to 2100CFM ventilation capacity (3175sqft), 12 inch/ 5-blade 'TurboPro' custom nylon/polymeric blade. Brushless 6-24 VDC motor, thermostat and fire-sure. Patent-pending two piece design for easy installation and maintenance, embedded and adjustable angle solar panel brackets included. Automotive grade ABS main body for superior lowprofile design, with all aluminum components, aluminum base and stainless steel fasteners. Both solar panels include adjustable angle bracket; embedded on main unit and second remote solar panel for optimal placement (10yr Warranty). <u>Remote panel is always (BLACK)</u>

<u>Part Nr.</u>		<u>MSRP</u>
SRSF-60W08-BL	(BLACK)	\$599.00
SRSF-60W08-WW	(WEATHERWOOD)	\$624.00
SRSF-60W08-BR	(BROWN)	\$624.00

SolaVent[™] 30Watt 'Reversible' Gable Fan & Passive Vent Converter

SolaVent[™] 30Watt 'Reversible' Gable Fan & Passive Vent Converter w/ thermostat, monocrystaline panel, up-to 1500CFM of ventilation capacity, 12 inch/ 5-blade 'TurboPro' styled custom nylon/polymeric blade. Brushless 6-24 VDC motor and thermostat. Includes ventilation unit for gable mounting and 30W remote solar panel (angle bracket included) with 20' of UV/Weatherized cable. (10yr Warranty)



Solar Royal, LLC

ATTIC FAN



Solar Royal, LLC **MARCH 2022** ** LINE-CARD **

60Watt Commercial Solar Ventilation

60Watt Metal Commercial "Reversible" Solar Ventilation. 2x 30Watt Units utilizing 2-Piece design. Ventilates up to 4400 sq.ft. and up-to ~3350 CFMs (peak sun). High-grade galvalume and professionally powder-coated. [Available with Ridge or Flat Roof Flashing - 10yr Warranty]. Deposit required (40%).

Part Nr. SRCF-60W08-R SRCF-60W08-F	(RIDGE FLASHING) (FLAT ROOF FLASHING)	<u>MSRP</u> \$3,495.00 \$3,495.00

SolaSkyVents™ (Skylights w/Active Ventilation)

SolaSkyVent professional grade polycarb skylights with integrated solar ventilation fans. Multi-functional skylights offer both natural lighting and active ventilation. No other product offers this combination. Delivered in 4'x4 or 4'x8' configurations. [Available in curb-mount or self-flashing - 10yr Warranty] Deposit required (40%).

	<u>MSRP</u>	<u>MSRP</u>
<u>Part Nr.</u>	<u>Curb Mount</u>	<u>Flashing Mount</u>
SRSKV-60W08-(4'x 4') 2'x4' PolyCarb Dome + 2 Fans	\$1,995.00	\$2,395.00
SRSKV-120W08-(4'x 8') 4'x4' PolyCarb Dome + 4 Fans	\$3,995.00	\$4,495.00
SRSKV-60W08-(4'x 8') 4'x6' PolyCarb Dome + 2 Fans	\$2,995.00	\$3,595.00
SRSKV-120W08-(4'x 4') 4 Fans	\$2,995.00	\$3,395.00







SR-RS/dyRT

3" Aluminum CURB Base for SR1800 Series

Universal Solar Panel Mounting Bracket

The SR1800 Series 3" Heavy-duty Aluminum CURB base. This accessory complements our primary solar ventilation attic fan. This modular adapter was create to provide a curb base mount between installation surfaces and types: metal, tile, sod and other industrial applications were more clearance is required. Part Nr. **MSRP**

Universal mounting kit is designed for our 25W & 30W remote solar panels so that they can be mounted on a pole,

24' of UV/Weatherized cable. Made with high-grade Aluminum and stainless steel fasteners. SolarPanel with custom

SR-CB603

6" Riser Adapter for SR1800 Series

The SR1803 Series 6" (inch) Riser: This accessory complements our primary solar ventilation attic fan. This modular adapter was created to allow the user to add six inches between the base and hood (fan/solar module). This additional clearance allows for installation on tile roofs, sod roofs, snowy areas, and other industrial applications where more clearance is required.

Part Nr. **MSRP** SR-R603 \$89.00

TERMS: Prices are FOB (Austin, Texas 78728) and based on quantity shipped unless otherwise agreed upon in writing by both parties. All orders must be paid in full before shipped unless credit application was approved and/or accounts which are already established. No product can be shipped if an account is past-due. If account is past-due; account must be paid in full and a five day grace period before next shipment on terms can be processed. 2.) Partner agrees not to market the product in any way; (e.g. internet, flyers, promotions, etc.) under suggested retail price (MSRP) or risk losing partner status.

3.) <u>Partner/Distributor is responsible for shipping insurance.</u>

Solar Royal, LLC **MARCH 2022** ** LINE-CARD **

FAN ACCESSORY 30Watt Remote Solar Panel; monocrystaline panel (19.5Volt, 1.53 amp), seven stage angle-lock bracket included with

wall, under eaves, roofs, etc. Made with high-grade Aluminum and stainless steel fasteners.



black background.

SR-30WRSPK

Part Nr.

Part Nr.

SR-UMB01

30Watt Remote Solar Panel

FAN ACCESSORY

MSRP

\$185.00

MSRP

\$39.85

\$120.00

FAN ACCESSOR



Solar Royal, LLC MARCH 2022 ** LINE-CARD **

6

JOLT

ENERGY EFFICIENC

ENERGY EFFICIENCY PRODUCTS

DARE to COMPARE! Understand the differences.

Let PowerJOLT show you the best solutions for your energy conscience customers.

• WHOLE HOME SURGE



Learn More! Download Brochure

PowerShield Whole Home Surge Suppression

The PowerShield Power Conditioning System offers a single-installation, cost-effective means of helping to protect the entire home from electrical spikes and surges while also monitoring and controlling the rate of incoming electricity in order to optimize the flow of power use and help diminish static-causing harmonics and line noise. Standard 200AMP (Single Phase) and available in other sizes at request.

<u>Part Nr.</u>

 PJPS201
 200AMP (Single Phase)

 [UPC Nr.: 638142929462 | EAN Nr.:0638142929462]

<u>MSRP</u> \$379.00

** PowerShields are available in 50Amp (Single Phase), 200AMP (Three Phase)