



Solar Royal, LLC

.FEBRUARY 2024.


LINE CARD

THE CUTTING EDGE IN SOLAR RESIDENTIAL & COMMERCIAL VENTILATION




**35Watt & 65 Watt
Solar Attic Ventilation Fan**

**SolaSkyVent Commercial
Skylight Ventilation**



**SolaVent Reversible 30Watt
Gable Solar Ventilation**



**Commercial 60Watt Solar
Ventilation Solution**



6" Riser

**SolaSensorPRO™ Adjustable
Temp & Humidity Sensor**





Solar Royal, LLC

.FEBRUARY 2024.

LINE CARD

35Watt Solar Ventilation (Attic) Fan w/ Thermostat

ATTIC FAN

35Watt Solar Ventilation Attic Fan, monocrystalline panels, up-to 1825CFM or 2955 sqft. of ventilation capacity, 12 inch/ 5-blade 'TurboPro' styled custom nylon/polymeric blade. Brushless 6-24 VDC motor and thermostat and Fire-fuse. Patented two piece design for easy installation and maintenance, embedded and adjustable angle solar panel brackets included. Automotive grade ABS main body for superior low-profile design, with all aluminum components, aluminum base and stainless steel fasteners. (15yr Warranty)

<u>Part Nr.</u>		<u>MSRP</u>
SRSF-35W10-BK	 (BLACK)	\$469.00
SRSF-35W10-WW	 (WEATHERWOOD)	\$494.00
SRSF-35W10-BR	 (BROWN)	\$494.00

*** *SolaSensorPRO™ Fully Adjustable Temperature & Humidity Sensor (SOLD SEPARATELY)*

65Watt Solar Ventilation (Attic) Fan w/ Thermostat

ATTIC FAN

65Watt Solar Ventilation Attic Fan includes 1x 35Watt base unit with a 30Watt remote monocrystalline panel, up-to 2280CFM ventilation capacity (3555sqft), 12 inch/ 5-blade 'TurboPro' custom nylon/polymeric blade. Brushless 6-24 VDC motor, thermostat and fire-sure. Patent-pending two piece design for easy installation and maintenance, embedded and adjustable angle solar panel brackets included. Automotive grade ABS main body for superior low-profile design, with all aluminum components, aluminum base and stainless steel fasteners. Both solar panels include adjustable angle bracket; embedded on main unit and second remote solar panel for optimal placement (10yr Warranty). Remote panel is always (BLACK)

<u>Part Nr.</u>		<u>MSRP</u>
SRSF-65W10-BK	 (BLACK)	\$599.00
SRSF-65W10-WW	 (WEATHERWOOD)	\$639.00
SRSF-65W10-BR	 (BROWN)	\$639.00

*** *SolaSensorPRO™ Fully Adjustable Temperature & Humidity Sensor (SOLD SEPARATELY)*



Solar Royal, LLC

.FEBRUARY 2024.

LINE CARD

SolaSensorPRO™ Fully Adjustable Temperature & Humidity Sensor



The SolaSensorPRO™ is a patent-pending fully adjustable temperature (60-130 °F) & humidity (20-90 %rh) sensor. The thermostat is designed for ultra-lower power DC applications. Settings can be changed via onboard pin-switch to accommodate the environmental application the solar ventilation fan is installed for. The SolaSensorPRO is designed as an available accessory for the latest Solar Royal's solar attic fans (SR1800).

Part Nr.

SR-ULPTHJS01 & SR-ULPTHJS02

MSRP

\$58.85



Pictured: (left) Thermoball STND (FREE) w/ SR1800 Series

| SolaSensorPRO™ (right)

** Diagram above for SR-ULPTHJS01 **

See Manual for more detailed instructions ***.

The Thermoball is delivered standard with all SR1800 fans. However, since 2022 (SR1809 & SR1910) the Series has been updated with a third ground cable. To install the SolaSensorPRO you unplug the Thermoball, 2 plugs, and then you will have three plugs available. Match the color-coded plugs to the SolaSensorPRO (red, blue, black) and plug-in. Your ready to go!

NOTE: if you change the settings, it could take up to 50 minutes for the new configuration to take effect.

The settings are instant, but the chip-based sensor (temperature and humidity) will need to recalibrate.

The SolaSensorPRO comes with a 5yr warranty so keep the original Thermoball just in case.



Solar Royal, LLC

.FEBRUARY 2024.

LINE CARD

SolaVent™ 30Watt 'Reversible' Gable Fan & Passive Vent Converter

SolaVent™ 30Watt 'Reversible' Gable Fan & Passive Vent Converter w/ thermostat, monocrystalline panel, up-to 1500CFM of ventilation capacity, 12 inch/ 5-blade 'TurboPro' styled custom nylon/polymeric blade. Brushless 6-24 VDC motor and thermostat. Includes ventilation unit for gable mounting and 30W remote solar panel (angle bracket included) with 20' of UV/Weatherized cable. (10yr Warranty)

Part Nr.
SRSV-1830

MSRP
\$389.00



3" Aluminum CURB Base for SR1800 Series

FAN ACCESSORY

The SR1800 Series 3" Heavy-duty Aluminum CURB base. This accessory complements our primary solar ventilation attic fan. This modular adapter was create to provide a curb base mount between installation surfaces and types: metal, tile, sod and other industrial applications where more clearance is required.

Part Nr.
SR-CB603

MSRP
\$120.00

6" Riser Adapter for SR1800 Series

FAN ACCESSORY

The SR1803 Series 6" (inch) Riser: This accessory complements our primary solar ventilation attic fan. This modular adapter was created to allow the user to add six inches between the base and hood (fan/solar module). This additional clearance allows for installation on tile roofs, sod roofs, snowy areas, and other industrial applications where more clearance is required.

Part Nr.
SR-R603

MSRP
\$89.00



Solar Royal, LLC

.FEBRUARY 2024.

LINE CARD

60Watt Commercial Solar Ventilation

60Watt Metal Commercial "Reversible" Solar Ventilation. 2x 30Watt Units utilizing 2-Piece design. Ventilates up to 4400 sq.ft. and up-to ~3350 CFMs (peak sun). High-grade galvalume and professionally powder-coated.

[Available with Ridge or Flat Roof Flashing - 10yr Warranty]. **Deposit required (40%).**

Part Nr.

SRCF-60W08-R (RIDGE FLASHING)
SRCF-60W08-F (FLAT ROOF FLASHING)

MSRP

\$3,495.00
\$3,495.00



SolaSkyVents™ (Skylights w/Active Ventilation)

SolaSkyVent professional grade polycarb skylights with integrated solar ventilation fans. Multi-functional skylights offer both natural lighting and active ventilation. No other product offers this combination. Delivered in 4'x4 or 4'x8' configurations. [Available in curb-mount or self-flashing - 10yr Warranty] **Deposit required (40%).**

Part Nr.

SRSKV-60W08-(4'x 4') 2'x4' PolyCarb Dome + 2 Fans
SRSKV-120W08-(4'x 8') 4'x4' PolyCarb Dome + 4 Fans
SRSKV-60W08-(4'x 8') 4'x6' PolyCarb Dome + 2 Fans
SRSKV-120W08-(4'x 4') 4 Fans

MSRP


Curb Mount

\$1,995.00
\$3,995.00
\$2,995.00
\$2,995.00

Flashing Mount

SRSKV-60W08-(4'x 4') 2'x4' PolyCarb Dome + 2 Fans
SRSKV-120W08-(4'x 8') 4'x4' PolyCarb Dome + 4 Fans
SRSKV-60W08-(4'x 8') 4'x6' PolyCarb Dome + 2 Fans
SRSKV-120W08-(4'x 4') 4 Fans

\$2,395.00
\$4,495.00
\$3,595.00
\$3,395.00





Solar Royal, LLC

.FEBRUARY 2024.

LINE CARD

30Watt Remote Solar Panel

FAN ACCESSORY

30Watt Remote Solar Panel, monocrystalline panel (19.5Volt, 1.53 amp), seven stage angle-lock bracket included with 24' of UV/Weatherized cable. Made with high-grade Aluminum and stainless steel fasteners. SolarPanel with custom black background .

Part Nr.
SR-30WRSPK

MSRP
\$185.00

TERMS: Prices are FOB (Austin, Texas 78728) and based on quantity shipped unless otherwise agreed upon in writing by both parties. All orders must be paid in full before shipped unless credit application is approved and/or accounts which are already established. No product can be shipped if an account is past-due. If account is past-due; account must be paid in full and a five day grace period before next shipment on terms can be processed. 2.) Partner agrees not to market the product in any way; (e.g. internet, flyers, promotions, etc.) under suggested retail price (MSRP) or risk losing partner status.

3.) Partner/Distributor is responsible for shipping insurance.



PowerShield Whole Home Surge Suppression

ENERGY EFFICIENCY



POWER JOLT

ENERGY EFFICIENCY PRODUCT

The PowerShield Power Conditioning System offers a single-installation, cost-effective means of helping to protect the entire home from electrical spikes and surges while also monitoring and controlling the rate of incoming electricity in order to optimize the flow of power use and help diminish static-causing harmonics and line noise. Standard 200AMP (Single Phase) and available in other sizes at request.

Part Nr.
PJPS201 200AMP (Single Phase)

MSRP
\$299.50

[UPC Nr.: 638142929462 | EAN Nr.:0638142929462]

**** PowerShields are available in 50Amp (Single Phase), 200AMP (Three Phase), 400AMP (Three Phase)**